

IDENTIFICATION

Product Identifier: SPLENDIORE TYRE SHINE

Product Code: FL1073


Recommended use of chemical and restrictions on use: High Gloss Silicone Tyre Shine

HAZARD IDENTIFICATION

DANGEROUS GOODS: Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. • FLAMMABLE LIQUID CLASS 3.2

GHS Classification: This product is classified as hazardous under the Globally Harmonised System (GHS) and Australian Work Health and Safety regulations.

- Flammable Liquids Category 2
- Eye Irritation Category 2A
- Skin Irritation Category 2
- Specific Target Organ Toxicity – Single Exposure Category 3
- Aspiration Hazard – Category 1
- Acute Aquatic Toxicity – 2 /Chronic Aquatic Toxicity – 2



Pictogram: Health Hazard (causes damage overtime), Exclamation Mark, Dangerous for the environment, Corrosive, Flammable

Signal Word (s) **DANGER**

Hazard Statement: H225 Highly flammable liquid and vapour.

ASV Euro Car Parts Pty. Ltd.

Unit 2 / 2 Christina Road,
Villawood NSW 2163
Australia
Tel: 13 88 00

H319 Causes serious eye irritation. H315 Causes skin irritation.

H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways.

H401/411 Toxic to aquatic life with long-lasting effects. H336 May cause drowsiness or dizziness.

General Statement: Keep out of reach of children. Read label before use.

Safety Directions: Wear eye protection/face protective gloves. Wash hands and skin thoroughly after use.

FIRST AID:

INGESTION: Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

SKIN CONTACT: Immediately flush skin with soap and plenty of water. Remove contaminated clothing and wash before re-use. Seek medical advice if symptoms persist.

INHALATION: Remove to fresh air, get medical attention if symptoms occur.

PREVENTION: Wear appropriate protective gear including gloves, clothing, eye, face, and hearing protection. Keep away from heat, sparks, open flames, and hot surfaces—no smoking. Ensure containers are tightly sealed and properly grounded. Use explosion-proof and non-sparking equipment and take steps to prevent static discharge. Wash hands and skin thoroughly after handling. Avoid inhaling dust, fumes, gas, mist, vapours, or spray. Use only in well-ventilated areas and prevent release into the environment.

INGREDIENTS

NAME	CAS NUMBER	PROPORTION
Solvent Naphtha	64742-89-8	> 60 %
n-Hexane	Not required	10 – 30%
Note – product contains < 0.1%		

FIRE-FIGHTING MEASURES

Fire Hazard: Highly flammable liquid. Vapour accumulation could flash and/or explode if in contact with open flames.

Extinguishing Media: Foam, water spray or fog, dry chemical powder. Do not use water in a jet.

Fire Fighting: Don't spray water directly on burning material — it can cause splattering and make the fire worse. Avoid using foam and water together on the same area, because water breaks down the foam.

Flash Point: <0°C

ACCIDENTAL RELEASE MEASURES

Containment: Prevent the product from entering drains, sewers, rivers, or other waterways. If needed, build a barrier using dry earth, sand, or other non-combustible materials. In large spills, foam may be used to reduce fire risk—avoid using direct water jets. Ensure good ventilation in enclosed spaces.

Cleanup: Use absorbent, non-combustible materials like sand or soil to soak up the spill. Avoid using sawdust or cellulose. Once absorbed, transfer the material into a properly labelled chemical waste container for safe disposal. For large spills, water spray may help reduce vapours but won't prevent ignition in confined areas.

Minor Spills: Clean up using absorbent material and dispose of waste safely. Ensure good ventilation and avoid direct contact with the product. Eliminate ignition sources if safe to do so.

Major Spills: Evacuate the area and restrict access to unprotected personnel. Call emergency services immediately. Wear full protective clothing including eye and face protection. Stay upwind and avoid contact with the material. Stop the leak if it can be done safely. Alert trained emergency personnel and notify authorities as required. Only a trained person should assess and manage the situation.

HANDLING AND STORAGE

Handling: Take precautions to avoid static electricity. Don't splash when handling hot liquids. Avoid skin contact and breathing in fumes or mist. Use personal protective equipment as needed. Be careful to prevent slips and follow safety guidelines, especially for substances with known risks.

Storage: Storage areas, tanks, and equipment must meet all relevant national or local regulations. Installations should include bunds (containment barriers) to prevent leaks or spills from polluting soil or water. Only trained and properly equipped personnel should clean, inspect, or maintain the inside of storage tanks. Keep this product stored separately from oxidizing agents.

EXPOSURE CONTROLS & PERSONAL PROTECTION

Occupational exposure limit values: There are no specific occupational exposure limits established for this product. However, general guidelines may apply, such as an ACGIH TWA of 5 mg/m³ and a STEL of 10 mg/m³. For n-Hexane, a TWA of 72 mg/m³ may be referenced. Ensure that workplace air concentrations remain below these limits.

Appropriate Engineering Controls: Ensure ventilation is adequate to maintain air concentrations below exposure standards. Avoid generating mists of the product. Use only in a well-ventilated area. Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Ensure compliance with applicable exposure limits.

Ventilation: Use this product only in well-ventilated areas. Avoid creating mist or vapours. Ventilation systems should be explosion-proof if flammable concentrations are present. Always ensure compliance with applicable exposure standards.

Personal Protective Equipment: Not required for normal use. When handling large amounts use OVERALLS, SAFETY SHOES, SAFETY GLASSES/ contact lenses, GLOVES.

STABILITY & REACTIVITY

Stable at normal temperatures and pressure. Avoid extremes of temperature and direct sunlight, sparks, flames and sources of static electricity. Incompatible with strong oxidizing agents, such as hydrogen peroxide, nitric acid, and sulphuric acid, as well as any sources of ignition. The product does not decompose at ambient conditions, but combustion may produce carbon dioxide, and if incomplete, carbon monoxide and smoke. Water is also formed during combustion. Exposure to carbon monoxide can cause symptoms such as headache, weakness, nausea, dizziness, confusion, impaired vision and judgment, unconsciousness, and in severe cases, coma or death.

TOXICOLOGICAL INFORMATION

No harmful health effects are expected when the product is used as directed and handled according to the Safety Data Sheet and product label. However, overexposure may cause irritation to the respiratory tract, with symptoms such as headache, dizziness, nausea, vomiting, drowsiness, or even unconsciousness. Skin contact may lead to redness, itching, swelling, and dryness, potentially resulting in dermatitis with repeated exposure. Eye contact can cause stinging, redness, and tearing. If swallowed, the product may irritate the stomach and cause nausea or vomiting, and if aspirated into the lungs, it may lead to chemical pneumonitis. Long-term exposure may worsen skin irritation or cause drowsiness and narcosis. Based on ingredient data, the product is not considered toxic, carcinogenic, mutagenic, or harmful to reproduction. It is not expected to cause respiratory or skin sensitisation. The product may cause dizziness or drowsiness with single exposure but is not expected to harm specific organs with repeated exposure. It poses a Category 1 aspiration hazard.



ECOLOGICAL INFORMATION

This product is toxic to aquatic life and may cause long-lasting environmental effects. Its acute aquatic toxicity falls within the range of 1–11 mg/L. Spills may create a film on water surfaces, which can physically harm aquatic organisms and reduce oxygen transfer. The product is expected to be biodegradable and breaks down quickly in air through photochemical reactions. However, it has the potential to bioaccumulate and may contaminate soil and groundwater if spilled, possibly accumulating in sediments. No other adverse environmental effects are currently known. To prevent environmental harm, do not release this product into waterways.

DISPOSAL INFORMATION

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

TRANSPORT INFORMATION – LABELS REQUIRED

ADG	 <p>Classified as Dangerous Goods.</p>
IMDG Marine Pollutant	 <p>Yes</p>

LAND TRANSPORT (ADG)

UN Number	UN 1993
Shipping Name	FLAMMABLE LIQUIDS N.O.S. (N-HEXANE, SOLVENT NAPHTHA)
ADG Code	None allocated.
HAZCHEM Code	3YE
Special Provisions	TP1, TP8, TP28
Packing Group	II
Packaging Method	P001, IBC02
Segregation	<p>Segregation Class 3 – Flammable liquid shall not be loaded in the same vehicle or packed in the same freight container with:</p> <p>Class 1, Explosives</p>



FORTE
ITALIAN LUBRICANTS

SPLENDIORE TYRE SHINE

Safety Data Sheet

PRODUCT CODE: **FL1073 (20L)**

Class 2.1, Flammable Gases, if both the Class 3 and Class 2.1 dangerous goods are in bulk

Class 2.3, Toxic Gases

Class 4.2 Spontaneously Combustible Substances

Class 5.1 Oxidising Agents and Class 5.2, Organic Peroxides

Class 6 Toxic Substances (where the flammable liquid is nitromethane)

Class 7 Radioactive Substances.

Foodstuff and foodstuff empties.

The information contained herein is subject to change without notification. Typical properties may vary slightly.

ASV Euro Car Parts Pty. Ltd.

Unit 2 / 2 Christina Road,
Villawood NSW 2163
Australia
Tel: 13 88 00

