

**Safety Data Sheet** 

PRODUCT CODE: FL1086 (20L), FL1085 (750ML)

#### **IDENTIFICATION**

**Product Identifier: SUPERIORE MAG-WHEEL CLEANER** 

**Product Code:** FL1085 (750ml), FL1086(20L)

Recommended use of chemical and restrictions on use: Brake Cleaner

HAZARD IDENTIFICATION

**DANGEROUS GOODS:** 

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7<sup>th</sup> edition)

**GHS Classification:** This product is classified as hazardous under the Globally Harmonised System (GHS) and Australian Work Health and Safety regulations.

• Eye Damage/Irritation: Category 1



**Pictogram:** Dangerous for the environment.

Signal Word (s) DANGER

Hazard Statement: Causes serious Eye Damage

General Statement: Keep out of reach of children. Read label before use.

Safety Directions: Wear eye protection/face protective gloves. Wash hands and skin thoroughly

after use.

FIRST AID: H319 Causes serious eye irritation. H315 Causes skin irritation.

Corrosive to environment.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

**INHALATION:** Remove to fresh air, get medical attention if symptoms occur.





**Safety Data Sheet** 

PRODUCT CODE: FL1086 (20L), FL1085 (750ML)

**INGESTION**: Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).

**ADVICE TO DOCTOR:** Treat symptomatically. Show this SDS to the medical practitioner.

FIRST AID MEASURE: For advice, contact a Poisons Information Centre (Phone e.g. Australia 131 126; New Zealand 0 800 764 766) or a doctor.

STORAGE & DISPOSAL: Dispose of contents in accordance with local regulations

#### **INGREDIENTS**

NAME	CAS NUMBER	PROPORTION
Alcohols, C12- 15, ethoxylated	68131- 39- 5	1-5 %
Oxalic acid	144- 62- 7	1-5%
Other ingredients classified as nonhazardous at the		-
concentrations used according to the criteria of Safe		
Work Australia		

#### **FIRE-FIGHTING MEASURES**

**Fire Hazard:** Product is a highly flammable liquid. Vapour accumulation could flash and/or explode if in contact with open flames.

**Extinguishing Media**: Foam, water spray or fog, dry chemical powder. Use extinguishing media suitable to certain conditions.

**Fire Fighting:** Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.

Flash Point: <0°C

### **ACCIDENTAL RELEASE MEASURES**

**Containment:** Use dry earth, sand, or other non-combustible materials to block the spill from spreading. In large spills, foam may be used to reduce fire risk. Ensure good ventilation indoors. Collect spilled material and transfer it to suitable containers for disposal or recovery.





**Safety Data Sheet** 

PRODUCT CODE: FL1086 (20L), FL1085 (750ML)

**Cleanup**: Use non-combustible absorbents like sand or soil. Avoid flammable materials like sawdust. Once absorbed, transfer the material to a labelled chemical waste container. For large spills, water spray may help reduce vapours but won't prevent ignition in enclosed spaces.

**Major Spills:** Keep the spill out of drains and waterways. Evacuate the area and keep unprotected people away. Call emergency services (e.g. Fire Brigade) immediately. Wear full protective clothing, including eye and face protection, and cover all skin. Stay upwind and avoid direct contact. If safe, stop the leak at its source. Remove ignition sources like electricity or open flames. Notify authorities if required.

#### **HANDLING AND STORAGE**

**Handling:** Avoid skin and eye contact and breathing in vapour. Do not allow clothing wet with material to stay in contact with skin.

**Storage:** Store in a cool, dry, well-ventilated place and out of direct sunlight. Storage areas and equipment must meet local safety regulations. Tanks should have bunds to prevent leaks from polluting soil or water. Only trained and properly equipped personnel should clean or inspect storage tanks. Keep the product away from oxidizing agents.

### **EXPOSURE CONTROLS & PERSONAL PROTECTION**

**Occupational exposure limit values:** There are no specific limits set for the product itself. **Appropriate Engineering Controls:** Ensure ventilation is adequate to maintain air concentrations below exposure standards. Use only in a well-ventilated area. Ventilation equipment should be explosion-resistant if explosive concentrations of material are present.

**Personal Protective Equipment:** Not required for normal use. When handling large amounts use OVERALLS, SAFETY SHOES, SAFETY GLASSES/ contact lenses, GLOVES.

#### **STABILITY & REACTIVITY**

Stable at normal temperatures and pressure. Avoid oxidising agents, strong acids & strong alkalis.





**Safety Data Sheet** 

PRODUCT CODE: FL1086 (20L), FL1085 (750ML)

#### **TOXICOLOGICAL INFORMATION**

Swallowing the substance may result in nausea, vomiting, diarrhoea, and abdominal pain. Inhalation can cause irritation to the respiratory tract. Repeated or prolonged skin contact may lead to allergic contact dermatitis, and over time, may also cause dryness, defatting of the skin, and general skin irritation. Eye exposure may result in serious irritation and could potentially cause permanent damage. Chronic exposure, particularly through skin contact, may worsen these effects and lead to persistent dermatological issues.

#### **ECOLOGICAL INFORMATION**

No other adverse environmental effects are currently known. Avoid releasing this material into waterways.

#### **DISPOSAL INFORMATION**

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

The information contained herein is subject to change without notification. Typical properties may vary slightly.

