



# FLUSSO BENZINA

## FUEL TREATMENT & INJECTOR CLEANER

### Product Data Sheet

PRODUCT CODE: **FL1112 (350ML), FL1113 (5L), FL1114 (20L)**

#### DESCRIPTION

FLUSSO BENZINA FUEL SYSTEM CLEANER is a highly effective, detergent-based fuel injector cleaner and treatment formulated for both diesel and petrol engines. It powerfully removes carbon build-up from pistons, valves, and injectors, lubricates fuel system components to improve burn profiles, and enhances fuel efficiency and power. It also eliminates moisture, prevents scale and harmful organic or inorganic deposits in fuel lines and storage tanks, and incorporates an active biocide to control microbial growth. Completely hydrocarbon-free, non-corrosive, and non-flammable, FLUSSO BENZINA is safe for use in modern fuel-injected engines as well as carbureted systems.

#### FEATURES AND BENEFIT

- Powerful detergent formula
- Improves performance
- Fuel system lubrication
- Moisture reduction
- Biocide protection
- Increases fuel economy

#### DIRECTIONS

First Treatment: Add 200 ml per 60L of fuel tank capacity.

Maintenance Dose: Add 20ml per 60L of fuel at every fill under normal driving conditions. For further information please refer to this PDS.

#### PRODUCT CODE / AVAILABLE QUANTITIES:

Available	Pack Size	Colour	Pack	Quantity
FL1112	350ml	Colour Less Liquid	Bottle	Carton (12)
FL1113	5L	Colour Less Liquid	Bottle	Carton (4)
FL1114	20L	Colour Less Liquid	Cube	

#### ASV Euro Car Parts Pty. Ltd.

Unit 2 / 2 Christina Road,  
Villawood NSW 2163  
Australia  
Tel: 13 88 00





# FLUSSO BENZINA

## FUEL TREATMENT & INJECTOR CLEANER

### Product Data Sheet

PRODUCT CODE: **FL1112 (350ML), FL1113 (5L), FL1114 (20L)**

#### SERVICE LIFE AND DILUTION GUIDELINES

<b>Initial Dose</b>	<b>FL Volume</b>	<b>Fuel Volume</b>
Automotive	200ml	60L
Light Commercial	1L	100L
Mining, Marine Power Generation	10L	1000L
Fuel Storage Tank Treatment	10L	1000L

<b>Regular / On-Going Treatment</b>	<b>FL Volume</b>	<b>Fuel Volume</b>
Automotive	20ml	60L
Light Commercial	100mL	100L
Mining, Marine Power Generation	1L	1000L
Fuel Storage Tank Treatment	1L	1000L

**ASV Euro Car Parts Pty. Ltd.**  
Unit 2 / 2 Christina Road,  
Villawood NSW 2163  
Australia  
Tel: 13 88 00

 **Verus**  
Italian lubricants

**TECHNICAL DATA**

CHARACTERISTIC	RESULT
<b>Appearance</b>	Non-viscous liquid
<b>Specific Gravity</b>	0.90 – 0.92 @ 25°C
<b>Colour</b>	Pink
<b>Odour</b>	Mild, ether-like
<b>pH</b>	8.5 – 9.5 (neat)
<b>Solubility</b>	Miscible in all proportions
<b>Flammable</b>	Flash point 68–70°C (Tag closed cup)
<b>Freezing Point</b>	–74.8°C
<b>Boiling Point</b>	171–173.5°C
<b>Volatile Organic Compounds (VOC)</b>	>70% v/v
<b>DG Class</b>	Non-dangerous Goods
<b>Hazardous</b>	Yes

The information contained herein is subject to change without notification.  
Typical properties

may vary slightly.

