

## IDENTIFICATION

**Product Identifier:** MAX-POTENZA DOT 4 BRAKE FLUID

**Product Code:** FL1128

**Recommended use of chemical and restrictions on use:** Dot 3 Fluid

## HAZARD IDENTIFICATION

**GHS Classification:** This product is classified as hazardous under the Globally Harmonised System (GHS) and Australian Work Health and Safety regulations.

- H361. Suspected of damaging the unborn child



**Pictogram:** Exclamation Mark

**Signal Word (s)** **WARNING**

**General Statement:** Keep out of reach of children. Read label before use.

**Safety Directions:** Wash hands and skin thoroughly after use. Wear eye protection/face protection.

## FIRST AID:

**IF IN EYES:** If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If symptoms persist, seek medical attention.

**SKIN CONTACT:** Immediately flush skin with soap and plenty of water. Remove contaminated clothing and wash before re-use. Seek medical advice if symptoms persist.

**INHALATION:** Remove to fresh air, get medical attention if symptoms occur.

**INGESTION:** Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution.

**ADVICE TO DOCTOR:** Treat symptomatically. Show this SDS to the medical practitioner.

**FIRST AID MEASURE:** For advice, contact a Poisons Information Centre (Phone e.g. Australia 131 126; New Zealand 0 800 764 766) or a doctor.

**STORAGE & DISPOSAL:** Dispose of contents in accordance with local regulations.

**ASV Euro Car Parts Pty. Ltd.**

Unit 2 / 2 Christina Road,  
Villawood NSW 2163  
Australia  
Tel: 13 88 00

## INGREDIENTS

NAME	CAS NUMBER	PROPORTION
2-(2-(2-butoxyethoxy)ethoxy)ethanol	143-22-6	10 - 30 % w/w
1,1'-iminodipropan-2-ol	110-97-4	1 - 10 % w/w
6-tert-butyl-2,4-xlenol	1879-09-0	0.025 - 0.25 % w/w

## FIRE-FIGHTING MEASURES

**Fire Hazard:** Non-flammable liquid. Not combustible. However, on evaporation of the aqueous component, the residual material may burn.

**Fire Fighting:** Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.

## ACCIDENTAL RELEASE MEASURES

**Containment:** Avoid direct contact with the spilled material. If safe, stop the leak at its source. Isolate the area and keep out anyone who isn't trained or protected. Use appropriate barriers (e.g. sand, earth) to prevent the material from spreading.

**Cleanup:** Use appropriate barriers (e.g. sand, earth) to prevent the material from spreading. Block access to waterways to avoid environmental contamination. If contamination of sewers or waterways occurs, inform the relevant local water and waste management authorities.

**Minor Spills:** Minor spills do not normally need any special clean-up measures – rinse with water.

**Major Spills:** Require immediate action to prevent environmental contamination. Use PPE, increase ventilation, contain the spill, and follow proper cleanup and disposal procedures as outlined above.

## HANDLING AND STORAGE

**Handling:** Avoid eye contact with concentrated material. Wear protective clothing if there's a risk of exposure. Keep away from incompatible substances. Do not eat, drink, or smoke while handling. Always keep containers closed and handle them carefully to avoid damage. Wash hands

thoroughly with soap and water after use. Work clothes should be washed regularly, and any contaminated clothing must be cleaned before wearing again.

**Storage:** Store in original containers. Store in a cool, dry, well-ventilated area out of direct sunlight. Store in approved cupboards or storage container. Do not freeze. Keep away from containers.

### **EXPOSURE CONTROLS & PERSONAL PROTECTION**

**Occupational exposure limit values:** No value assigned for this material by Safe Work Australia.

**Appropriate Engineering Controls:** Use only in well-ventilated areas. Keep work areas clean and avoid unnecessary exposure.

**Personal Protective Equipment:** Not required for normal use. When handling large amounts use OVERALLS, SAFETY SHOES, SAFETY GLASSES/ contact lenses, GLOVES.

### **STABILITY & REACTIVITY**

Stable at normal temperatures and pressure. Avoid extremes of temperature and direct sunlight. Product can decompose on heat and may result in release of toxic gases and vapours.

### **TOXICOLOGICAL INFORMATION**

No harmful health effects are expected if the product is used as directed. While it's not considered hazardous to inhale or touch properly diluted solutions, concentrated product may irritate the eyes, cause stinging and tearing. Ingesting the product could lead to nausea and vomiting. There are no known long-term health risks, and the product is not classified as toxic, carcinogenic, or a sensitizer. It's also not expected to affect reproduction, cause mutations, or harm specific organs through single or repeated exposure.

### **ECOLOGICAL INFORMATION**

The product is not harmful to aquatic life and is not classified as hazardous to the environment. Acute Aquatic Toxicity (ATE Calculated) LC50: 839 - 880 mg/L. Acute Aquatic Toxicity NOT HAZARDOUS. It is readily biodegradable and does not accumulate in organisms. Due to its chemical properties, it can move easily through soil and may reach water systems. To protect the environment, avoid discharging this material into waterways.



**FORTE**  
ITALIAN LUBRICANTS

# **MAX-POTENZA DOT 4 FLUID**

**Safety Data Sheet**

PRODUCT CODE: **FL128 (20L)**

## **DISPOSAL INFORMATION**

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

The information contained herein is subject to change without notification. Typical properties may vary slightly.

**ASV Euro Car Parts Pty. Ltd.**

Unit 2 / 2 Christina Road,  
Villawood NSW 2163

Australia

Tel: 13 88 00

